The Soil Leaching of Minerals from Mae Moh, Lampang, Thailand

Pajaree Thongsanit^{1,2} and Witchaya Imkrajang²

¹Lecturer of Center of Excellence for Energy Technology and Environment and

²Department of Civil Engineering, Faculty of Engineering, Naresuan University, Phitsanulok,

Thailand 65000

E-mail: pajareet@hotmail.com

Abstract: The study of the concentrations of minerals or nutrients in the soil deposited by acid rain at Mae Moh power plant area, Lampang Province, Northern part of Thailand. Lampang Province is the third largest town in northern Thailand. The city is still growing rapidly as trading and transportation center. The soil samples were analyzed in the farming area near Mae Moh power plant. The soil sampling point was located in Ban Mae Chang, south of the Mae Moh power plant. The samples were analyzed the physical and chemical characteristics of soil. The analytical parameters were calcium, magnesium, potassium. The leaching of minerals in soil by syntactic acid rain were different pH values. The minerals were not exceeding soil quality standards for residential and agriculture land use.

Keywords: Soil Leaching, Minerals, Lampang, Thailand

1. Introduction

Lampang Province is the third largest town in northern Thailand. The city is still growing rapidly as trading and transportation center. It offers much of the historic interest of Lanna as well as Chiangmai, but without the overt commercialization. Located in the heart of the North, Lampang is also a good base for excursions and travel within northern Thailand. Mae Moh power plant was located in Mae Moh district, Lampang province. Currently, total capacity of the electricity generating of Mae Moh power plant was 2,625 MW with 13 units of the generator. The capacity of Mae Moh power plant was around twenty percentage of the capacity electric power of the Thailand. They used lignite coal with high sulfur average of three percent by weight to produce electricity. The sulfur dioxide emissions of power plant were 150 tons / hour. The deposition of acid from sulfur dioxide has more acidic soil nutrients such as calcium, magnesium, potassium some plants potassium loss due to leach into the subsoil. The objective is to study of concentrations of nutrients accumulate in soil erosion by acid rain. This research studied the concentration of dissolved nutrients around the Mae Moh power plant. There were affected of the crops grown for consumption.

2. Research Method

Research Location: The effects of acid deposition on the leach minerals in the soil were studied. The study area was south of Mae Moh power plant, namely in Ban Mae Chang community. Ban Mae Chang locate three kilometer southern of Mae Moh power plant. Bang Mae Chang set in Mae Moh district, Lampang Province. The numbers of house in Ban Mae Chang were 173, The main of occupation of Ban Mae Chang people were famers and constructors. Soil samples taken from Ban Mae Chang communities around the Mae Moh power plant. Soil samples were analyzed the physical and chemical characteristics of the soil. The parameters of the soil were pH, soil moisture, sizing of a grain of soil, organic matter, and nitrogen. The analytical parameters were calcium, magnesium, potassium. The leaching of minerals in soil by acid rain were different pH values of 4.5, 5.0, 5.5, 6.0 and 6.5.

3. Results and Discussions

The physical and chemical properties of soil samples were shown. pH of soil at Ban Mae Chang at the depth of underground level at 10-20 cm and 20-30 cm were 4.63 and 4.75. Soil samples were lower than 7.0, the normal level of pH in soil was 5-8. The soil moistures were 0.26% and 1.18% of soil of underground level 10-20 cm and 20-30 cm. The moistures were very low. The grains of soil in upper level were big size. There were large gaps in the soil. The air will be in these gaps more than water. The organic matter in the soil was 0.98% and 0.76% of the soil of underground level 10-20 cm and 20-30 cm. The organic matter in these soils was low in the soil class. In the generally the organic matter was 1-6% by weight of the soil. The organic matter degraded over time of land use of farm. The decomposition of organic matter is lost from the soil in the form of CO_2 and other gases, the amount of organic matter in the soil decreases. The organic nitrogen was low level at 0.3-0.4% of soil. The soil could not absorb water. Organic nitrogen leached through under ground level. The land could not useful for plants.

The calcium, magnesium and potassium in the soil at Ban Mae Chang at the depth of underground level at 10-20 cm and 20-30 cm and the concentration of minerals of soils mg per kg of soil showed in table 1 and 2.

DEPTH Calcium (mg)		Magnesium (mg)	Potassium (mg)	
10-20 cm.	1782	1828	715	
20. 20	210	261	1252	

TABLE I: The calcium, magnesium and potassium in the soil at Ban Mae Chang

TABLE II: The concentrations of calcium, magnesium and potassium in the soil at Ban Mae Chang

DEPTH	Calcium (mg/kg of soil)	Magnesium (mg/kg of soil)	Potassium (mg/kg of soil)	
10-20 cm.	280	288	113	
20-30 cm.	50	57	197	

The analytical parameters were calcium, magnesium and potassium. The leaching of minerals in soil by syntactic acid rain were different pH values. pH was 4.5, 5.0, 5.5, 6.0 and 6.5. The calcium in the soil leached by acid rain showed in table 3,4 and 5. The highest leach of calcium, magnesium and potassium in the soil was pH of rain at 5.5, 4.5 and 4.5.

TABLE III: The leaching of calcium in soil by acid rain were different pH values.

			aching of cal in soil (mg)	cium	Calcium residual in Soil (mg)	Concentration of residual calcium (mg/kg)
	Calcium in soil (mg)	First time	Second time	Third time		
pH 4.5	1050	13.70	2.77	1.80	1032	162
pH 5.0	1050	8.72	4.74	2.67	1034	163
pH 5.5	1050	16.81	6.12	6.45	1021	161
pH 6.0	1050	17.42	0.59	4.48	1027	162
pH 6.5	1050	29.31	-	-	-	-

TABLE IV: The leaching of magnesium in soil by acid rain were different pH values.

	magnesium in soil	The leaching of magnesium in soil (mg)			magnesium residual	Concentration of residual
	(mg)	First time	Second time	Third time	in Soil (mg)	magnesium (mg/kg)
pH 4.5	1094	14.98	5.88	5.97	1068	168
pH 5.0	1094	6.49	3.87	2.41	1082	170
pH 5.5	1094	13.99	5.51	6.13	1069	168
pH 6.0	1094	14.98	4.61	5.91	1069	168
pH 6.5	1094	24.60	-	-	-	-

TABLE V: The leaching of potassium in soil by acid rain were different pH values

	potassium	The lea	aching of pot in soil (mg)	assium	potassium residual in Soil (mg)	Concentration of residual potassium (mg/kg)
	in soil (mg)	First time	Second time	Third time		
pH 4.5	984	0.16	0.28	0.95	983	154.53
pH 5.0	984	0.37	0.20	0.01	983	154.66
pH 5.5	984	0.49	0.09	0.16	983	154.63
pH 6.0	984	0.15	0.24	0.07	984	154.68
pH 6.5	984	1.17	-	-	-	-

4. Conclusion

The soil sampling point was located in Ban Mae Chang, south of the Mae Moh power plant. The samples were analyzed the physical and chemical characteristics of soil. pH of soil at Ban Mae Chang at the depth of underground level at 10-20 cm and 20-30 cm were 4.63 and 4.75. The normal level of pH in soil was 5-8. The moistures were very low. The nutrient of soil was low level. The analytical parameters were calcium, magnesium and potassium. The leaching of minerals in soil by syntactic acid rain were different pH values. The highest leach of calcium, magnesium and potassium in the soil was pH of rain at 5.5, 4.5 and 4.5, respectively.

5. Acknowledgements

This paper presentation was funded by the center of excellent for energy technology and environment, faculty of engineering, Naresuan University, Phitsanulok, Thailand. The research was funded by Office of the Higher Education Commission year 2015. The authors wish to thank Dr. Pilaipark Chumark and Mr. Chuchai Lornimitdee for their co-researchers. Thanks the staffs of the department of civil department engineering and staffs of air pollution research unit research for their support and provide research equipment.

6. References

- [1] Lampang http://en.wikipedia.org/wiki/Lampang, access on 30 June 2015
- [2] maemoh.egat.com/index maemoh/access on 30 June 2015
- [3] http://archive.lib.cmu.ac.th/full/T/2556/mem40256sc_ch1.pdf on 30 June 2015